## Amendments to the Claims:

The listing of claims will replace all prior versions, and listings, of claims in the application.

## Listings of Claims:

Please Amend the remaining claims as indicated below:

1. (Currently amended) A radio frequency device comprising:

at least one metallized region;

at least one non-metallized region;

at least one antenna on the at least one non-metallized region;

at least one radio frequency chip in communication with the at least one

antenna; and

at least one eonnector electrical connection connecting the at least one antenna to the at least one metallized region such that the at least one metallized region acts as a second antenna.

- 2. (Original) The radio frequency device of Claim 1, further comprising: at least one base layer.
- 3. (Original) The radio frequency device of Claim 2, wherein the at least one metallized region is disposed on the at least one base layer.
- 4. (Original) The radio frequency device of Claim 1, wherein the at least one non-metallized region is created by demetallizing a portion of the at least one metallized region.
- 5. (Original) The radio frequency device of Claim 1, further comprising at least one holographic image.

- 6. (Original) The radio frequency device of Claim 5, wherein the at least one holographic image is in the at least one non-metallized region.
  - 7. (Currently amended) A radio frequency device comprising: at least one base layer;

at least one metallized region disposed on the at least one base layer; at least one non-metallized region;

at least one antenna on the at least one non-metallized region;

at least one radio frequency chip on the at least one base layer in communication with the at least one antenna; and

at least one connector electrical connection connecting the at least one antenna to the at least one metallized region such that the at least one metallized region acts as a second antenna.

- 8. (Original) The radio frequency device of Claim 7, further comprising at least one holographic image.
- 9. (Original) The radio frequency device of Claim 7, wherein the at least one holographic image is in the at least one non-metallized region.
- 10. (Original) The radio frequency device of Claim 7, wherein the at least one non-metallized region is created by demetallizing a portion of the at least one metallized region.
  - 11. (Currently amended) A radio frequency device comprising:

    at least one base layer;

    at least one metallized region disposed on the at least one base layer;

    at least one non-metallized region;

at least one holographic image;

at least one antenna on the at least one non-metallized region;

at least one radio frequency chip in the at least one base layer in communication with the at least one antenna; and

at least one connector electrical connection connecting the at least one antenna to the at least one metallized region such that the at least one metallized region acts as a second antenna.

- 12. (Original) The radio frequency device of Claim 11, wherein the at least one holographic image is in the at least one non-metallized region.
- 13. (Original) The radio frequency device of Claim 11, wherein the at least one non-metallized region is created by demetallizing a portion of the at least one metallized region.
  - 14. (Currently amended) A radio frequency device comprising:

at least one base layer;

at least one metallized region disposed on the at least one base layer;

at least one non-metallized region;

at least one holographic image on the at least one non-metallized region;

at least one antenna on the at least one non-metallized region;

at least one radio frequency chip in the at least one base layer in

communication with the at least one antenna; and

at least one eonnector electrical connection connecting the at least one antenna to the at least one metallized region such that the at least one metallized region acts as a second antenna.

- 15. (Original) The radio frequency device of Claim 14, wherein the at least one non-metallized region is created by demetallizing a portion of the at least one metallized region.
  - 16. (Currently amended) A radio frequency device comprising:

at least one base layer;

at least one metallized region disposed on the at least one base layer;

at least one non-metallized region;

at least one holographic image in the at least one non-metallized region;

at least one antenna on the at least one non-metallized region;

at least one radio frequency chip on the at least one base layer in communication with the at least one antenna; and

at least one eonnector electrical connection connecting the at least one antenna to the at least one metallized region such that the at least one metallized region acts as a second antenna; and

whereby the at least one non-metallized region is created by demetallizing a portion of the at least one metallized region.

17. (Withdrawn) A method of making a radio frequency device, comprising: forming at least one metallized region;

forming at least one non-metallized region;

forming at least one antenna on the at least one non-metallized region;

mounting at least one radio frequency chip in communication with the antenna;

and

connecting the antenna in the non-metalized region to the metallized region with a connector.

- 18. (Withdrawn) The method of Claim 17, further comprising forming at least one base layer.
- 19. (Withdrawn) The method of Claim 17, further comprising forming at least one holographic image.
- 20. (Withdrawn) The method of Claim 19, wherein the holographic image is formed on the at least one non-mateallized region.
- 21. (Withdrawn) The method of Claim 17, wherein the non-metallized region is created by demetallizing a portion of the at least one metallized region.
  - 22. (Withdrawn) A method of making a radio frequency device, comprising: forming at least one base layer;

forming at least one metallized region disposed on the at least one base layer; forming a non-metallized region;

forming an antenna on the non-metallized region;

mounting a radio frequency chip in electrical communication with the antenna; and

connecting the antenna in the non-metalized region to the metallized region with a connector.

- 23. (Withdrawn) The method of Claim 22, further comprising forming a holographic image in the non-metallized region.
- 24. (Withdrawn) The method of Claim 22, wherein the non-metallized region is created by demetallizing a portion of the at least one metallized region.

25. (Withdrawn) A method of making a radio frequency device, comprising: forming at least one base layer;

forming at least one metallized region disposed on the at least one base layer; forming a non-metallized region;

forming a holographic image in the non-metallized region;

forming an antenna in the non-metallized region;

mounting a radio frequency chip in electrical communication with the antenna;

connecting the antenna in the non-metalized region to the metallized region with a connector.

26. (Withdrawn) The method of Claim 25, wherein the non-metallized region is created by demetallizing a portion of the at least one metallized region.

27. (Withdrawn) A method of making a radio frequency device, comprising: forming at least one base layer;

forming at least one metallized region disposed on the at least one base layer; forming at least one non-metallized region;

forming at least one holographic image in the at least one non-metallized region; forming at least one antenna in the at least one-metallized region;

mounting at least one radio frequency chip in communication with the at least one antenna; and

connecting the at least one antenna in the at least one non-metalized region to the at least one metallized region with a connector;

and

whereby the at least one non-metallized region is created by demetallizing a portion of the at least one metallized region.